4/ 4

English translations of JP-A 2000-110068 in [0005].

BSKB

Publication date: April 18, 2000

[0005] Component (B)

The nonionic surfactant of the invention include various nonionic Specifically preferable ones are alkylene oxide-adduct type nonionic surfactants, a C2 to C3 alkylene oxide adduct to a C8 to C18 ahigher alcohol, a higher fatty acid or amine. More preferable is an alcohol alcoxylate in which a C2 to C3 alkylene oxide is added to a C8 to C18 primary alcohol or secondary alcohol. Especially preferable is a mionic surfactant represented by the formula (I).

$$R^{1}$$
-O-(CH₂CH₂O)n-H (I)

wherein R1 is a C8 to C18, preferably C10 to C14, straight or branched chain alkyl or alkenyl group, n is the average mole number of added ethylene oxide, 5 to 40, preferably 7 to 15. The nonionic surfactant represented by the above formula (I) has preferably an HLB of 8 to 16, more preferably 8 to 14, by Griffin. Using the nonionic surfactant having the HLB of the range, the deodonizing base agent comes easily through a fiber product to obtain a excellent deodonizing effect and an excellent liquid stability. The surfactant can be generally produced by known methods.